



labfolder Admin Manual

v1.24.2

Table of Contents

Groups and sharing in labfolder	3
labfolder Groups	3
Create Group	3
Create subgroup	3
Delete Group	4
Remove subgroup	5
Manage users	5
Invite users	5
Move users between subgroups	6
Set users as admin	7
Denominate admins	7
Remove users	8
Group settings	9
Data safeguarding	9
Private Projects	9
Subgroup membership	10
Compliance Features	11
CFR 21 Part 11 Digital Signatures	11
Sign document with a digital signature	12
Countersign entry with digital signatures	13
Data safeguarding	13
Safeguarding data in labfolder	13

Groups and sharing in labfolder

labfolder allows the collaboration within projects, the sharing of protocol templates and the communication within labfolder. Sharing is possible in groups, where sharing can be organized.


labfolder Groups

Administrators can create groups and subgroups to better organize the structure of their team inside labfolder.

Create Group

●●● To Create a Group in labfolder:


1. Go to *Manage > Groups*
2. Click on **+ Add** in the upper left hand corner
3. Choose *Add new group*
4. Once the dialogue is opened, add the name of the group
5. Click on *Create*



Create subgroup

●●● To create a subgroup in labfolder:


1. Go to *Manage > Groups*
2. Click on the group where the subgroup needs to be inserted
3. Click on **+ Add** on the upper left hand side
4. Choose *Add new subgroup*
5. Once the dialogue is opened, type the name of the subgroup


6. Click on *Create*


- i** It is possible to create new subgroups inside previously existing subgroups. To achieve this please select the pre-existing subgroup in *Create under*: in the lightbox.

Delete Group

●●● To delete a group in labfolder:


1. Go to *Manage > Groups*
2. Click on the group that needs to be removed
3. Click on the gearwheel, , present on the right hand side when hovering over the group
4. Click on *Delete group*
5. Once the dialogue is opened, click on *Delete*





-  Before deleting the group, you have the option to download each group project as a PDF document.

Remove subgroup


 To remove a subgroup in labfolder:

1. Go to *Manage > Groups*
2. Click on the group where the subgroup needs to be removed
3. Click on the gearwheel, , present on the right hand side when hovering over the subgroup
4. Click on *Remove subgroup*

 **NOTE:** Before deleting the subgroup, you need to remove all the members that form it. If not, an error message will be displayed.



5. Once the dialogue is opened, click on *Remove*




Manage users


Invite users

Administrators can invite users to the groups they created. The invitation, via automatic e-mail, can be sent to a labfolder user or to a person not yet registered to use labfolder.

 To invite users to join a group in labfolder:

1. Go to *Manage > Groups*
2. Click on the group into which users will be invited.
3. Click on 
4. Choose *Invite user*

5. Once the dialogue is opened, add the email of the user and choose the (sub)group in which the group member will be added
6. Click on *Invite*



Note: The green *recommend* tab on the left hand side of labfolder is meant to spread the use of labfolder to more scientists.

recommend

Move users between subgroups

Administrators can move users into different subgroups inside the same group. When previously authorized, a user can be a member of several subgroups.

●●● To move users within subgroups in labfolder:


1. Go to *Manage > Groups*
2. Click on the group in which the user is a member
3. Click on the member you want to move and drop them into the desired subgroup
4. The possible subgroups to add the member will be displayed with a pale green background




Set users as admin

Administrators can set other users as group admins and there is no limit to the number of admins per group. The rights and roles are identical to all admins regardless of their time as admins.

●—●—● To set users as admin in labfolder:


1. Go to *Manage > Groups*
2. Click on the group in which the user is a member
3. Click on the gearwheel, , present on the right hand side when hovering over the member
4. Click on *Set member as admin*




Denominate admins

To denominate an admin, the initial steps are identical to the ones described to set a user as an admin.

●—●—● To denominate admins in labfolder:


1. Go to *Manage > Groups*
2. Click on the group in which the user is a member
3. Click on the gearwheel, , present on the right hand side when hovering over the member
4. Click on *Remove member as admin*




Remove users


Group members can be removed from the group when necessary (e.g. a person leaves the laboratory). All the content created by the user (entries, projects, templates) will remain in the group and the license from this user can later be reused.

●●● To remove user from a group in labfolder:

1. Go to *Manage > Groups*
2. Click on the group in which the user is a member
3. Click on the gearwheel, , present on the right hand side when hovering over the member
4. Click on *Remove member from group*
5. Once the dialogue is opened, click on *Remove*



! **NOTE:** If the user has projects in the group folder, you need to change their ownership to another person in the laboratory. You can refer to the section *Change Ownership* on page 9 in User Manual.



Group settings

Administrators of the main group, but not of the subgroups, can edit the general settings of groups.

Data safeguarding

Through the option *Prevent group members from deleting content* all users (including the admin) are prevented from deleting projects or any other data from the labfolder database. Projects will merely be hidden if a user decides to *Remove* it from their list of projects.

●—●—● To activate the *Prevent group members from deleting content* function:

1. Go to *Manage > Groups*
2. Click on the group that needs to be modified
3. Click on *settings*, located in the Administration section on the upper right hand side
4. In the new page, click on *edit* in Members rights
5. Check the option *Prevent group members from deleting content*
6. Click on *save*



Prevent group members from deleting content

General settings

Name Department of Biochemistry [edit](#)

Description

Members rights

Prevent group members from deleting content

Prevent group members from having private projects

Users can be members of several subgroups

[cancel](#) [save](#)


Private Projects

By checking the option *Prevent group members from having private projects*, group members will not be allowed to have private projects. All private projects of group members will be moved into the group projects, but will only be shared with group admin(s).

●●● To activate the *Prevent group members from having private projects* function:

1. Go to *Manage > Groups*
2. Select the group you want to modify
3. Click on *settings*, located in the Administration section on the upper right hand side
4. In the new page, click on *edit* in Members rights
5. Check the option *Prevent group members from having private projects*
6. Click on *save*



 Users who are invited to a group in which private projects are disallowed will be prompted with a warning when invited.

Subgroup membership

The idea of the subgroup membership is to allow the users to be part of subgroups when they are already members of a group, through the option *Users can be members of several subgroups*.

- By setting the option to *on*, users which are already members of a group can be invited again to another subgroup within the group.
- If this option is set to *off*, members cannot be invited to subgroup of their current group.

●●● To change the settings of the *Users can be members of several subgroups* function:

1. Go to *Manage > Groups*
2. Select the group you want to modify
3. Click on *settings*, located in the Administration section on the upper right hand side
4. In the new page, click on *edit* in Members rights
5. Check the option *Users can be members of several subgroups*

6. Click on *save*

Allow users to be members of several subgroups

General settings

Name Department of Biochemistry [edit](#)

Description

Members rights

- Prevent group members from deleting content
- Prevent group members from having private projects
- Users can be members of several subgroups

[cancel](#) [save](#)


Compliance Features

CFR 21 Part 11 Digital Signatures


Documents can be signed digitally in labfolder. Digital signatures are compliant to FDA CFR 21 Part 11. When signing a labfolder document, all content, including uploaded files, is saved. The four-eye principle can be applied as well, allowing a member of a labfolder group to countersign the document.

●●● To activate the digital signatures:


1. Go to *Manage > Apps*
2. Activate the *Sign and Witness* app




Sign document with a digital signature


Documents can be signed in labfolder using the *Sign* function in the document option, which is accessible through the gearwheel, , located at the top-right area of the document header in every entry.

●●● To create a digital signature on an entry:

1. Click on the *Sign* function given in the gearwheel, .
2. Sign by either entering the account password or submitting a handwritten signature. By signing an entry, the signer is certifying that he/she has performed the experiment and/or created this entry.




The date of the signature and the name of the signer will appear in the footer of the entry together with a SHA-1 hash sum of the entire entry.



 **NOTE:** After creating a digital signature, the document cannot be edited anymore.

●●● To edit the entry again and invalidate the digital signature:

1. Click on the gearwheel, , on the entry header
2. Click on the *Copy to end* function to create a copy of the entry
3. Hide the signed entry

Countersign entry with digital signatures


After signing, the document can be sent to a witness for countersigning. To become a witness, the following requirements must be fulfilled:

- Be a member of the same group in which the project and the document are shared.
- Have the *Sign and Witness* app activated in order to receive notifications and countersign entries when the signer requests a countersignature.

●●● To countersign an entry:

1. Click on the notification or go to *Dashboard > Witnessing*. The countersigning request can be seen. Click on it.
2. The entry to be countersigned will be opened.
3. Click on the *Witness* button, located at the bottom of the entry, to countersign.
4. Countersign by either submitting a handwritten signature in the signature field or by entering the account password. By signing an entry, the witness is certifying that the entry has been disclosed to and understood by him/her.

The name of the countersigner and the date of the second signature will be added to the footer of the document.


	Clark Williams	Entry 37/40: <i>No entry title yet</i> in Project: AgatE target screening
SHA-1 hash: 4f78879666c698b595f12b0bf89d1332a1cb82e2 05.07.2017 signed and understood by Clark Williams 05.07.2017 witnessed and understood by Susan Hall		

Data safeguarding



Safeguarding data in labfolder

In labfolder, invalid data cannot be deleted in accordance with laboratory documentation guidelines like GLP or ISO standards.

 Removing data from an entry

Within an entry, data blocks can be removed by clicking on the  icon (top-right corner of the data block) and then choosing the *Remove* option. The data block will be removed, but is still accessible (and downloadable if it is a file) from within the full audit trail, meaning that the data is not deleted.

 Hiding entries

Entries cannot be removed but hidden by clicking on the gearwheel, , and then choosing the *hide* option. Hidden entries can be viewed by *Settings > General settings > show hidden items > yes*. To unhide previously hidden entries, select *unhide* after clicking on the gearwheel, , when showing hidden items.

 Controlling project deletion in groups

The default setting prevents members in an administered group from deleting projects (and thus any data at all). The administrator can change it by unselecting the option in the group settings.